1ST ANNUAL Tuesday

9.20.2022

Doors Open @ 12 noon **Johnson County Fair Grounds Building** C

Solative Few Droducts - Hanas Leading In Stry - Leading In Stry

Food Drinks **Door Prizes**

GOOD GUYS

12pm -9pm

RSVP by scanning the QR code

Food

Drinks



Door

Drizes

1ST ANNUAL PRO SHOW

September 20th, 2022 12:00 - 9:00 PM Johnson County Fair Grounds, Bld C

12:00PM

Vendor Booth Show 12-9

1:30PM

Training - Rema/Prema, Tire Repair 1:30-2:30

3:00PM

Training - Driv, Alignment Clinic 3:00-4:00

5:00PM

Dinner served 5:00 -7:00

8:00pm

Door Prize and Grand Prize Drawing

9:00PM

Pro Show ends, Thank you for comming!



























































Delphi Technologies









Oil-Only Defender Pads

Oil selective - repels water but absorbs oil and oil-based fluids

Pad WP100S - 15" x 19", 100 pads/package

Absorbency: 17.85 gal per package/22.85 oz per pad



	,	U		'	0		'		
Pad	WPB100M	15"	X	19",	100	pads	/pa	ackage	(

Absorbency: 24.7 gal per package/31.62 oz per pad



\$39.99

Universal Defender Pads

Safely absorbs and retains oil, coolants, water, grease, gasoline, solvents, auto fluids, paint overspray, battery acid and most other liquids

Pad GPB100M - 15" x 19", 100 pads/package Absorbency: 24.7 gal per package/31.62 oz per pad

\$39.99



Pad GP-M - 15" x 19", 100 pads/package Absorbency: 20 gal per package/25.6 oz per pad

\$49.99

Roll GRSF1550S - 15" x 50', 12 rolls/package Absorbency: 53.4 gal per package/4.45 oz per roll



HazMat Defender Pads

Use for spill cleanup in university and research labs, hospitals, chemical or pharmaceutical plants and other facilities that use hazardous liquids



Pad YPB100S - 15" x 19", 100 pads/package Absorbency: 15.5 gal per package/19.9 oz per pad

\$39.99

46117				. E	
FILTERS ST	Contraction of the second	J.AN	UALC	30	H
WIX XP	55	NII-AN	HROM	DRE INFORMATIO	
AVE NORE THAN 50% ON W	NX	ER 20	SPERSON FOR		
GOIGEP	TEN	ASKYOUR SA			9
BACK SLW	X FIL.	PDA		N	
SAVE MORE THIS					
	RANK	PART #	REGULAR \$	ART NUMBER SALE \$	

RANK	PART #	REGULAR \$	SALE \$
1	57060mp	8.78	5.02
2	51348mp	8.78	5.02
3	57356mp	8.78	5.02
4	57502mp	8.78	5.02
5	WL10255	9.25	5.29
6	57047	12.73	7.27
7	51334MP	8.78	5.02
8	51372MP	8.78	5.02
9	WL10010	9.25	5.29
10	51522MP	8.78	5.02



New Stocking Customer

20% off opening order

FREE Rack

\$1 CA\$H back for every blade purchased 9/7/22-12/31/22

New Change over Customers

Blade for Blade changeover

Free Rack

\$1 CA\$H back for every blade purchased 9/7/22-12/31/22

Existing Stocking Customer

25% off case quanities



PRO SHOW

Cash Back: New stocking and New changeover customers recieve \$1.00 for every Trico wiper blade installed from date of commitment through 12/31/22.

THE BEST WIPER BLADE ON THE MARKET TODAY...GUARANTEED!!!

Super Premium All-Weather

3X Longer Life matched protection against ozone, UV rays, water and ice

Ceramic coating offers extended resistance and reliability **Maximum Contact**

Aerodynamic airfoil and ceramic coating provide maximum contact with reduced drag and friction

Tote-Top Mega Funnel Drain Oil Collection System



- Turn your tote into a waste oil collection system.
- Simply sits on top of tote and holds oil pans, funnels, filters, etc., so that oil can drain off into tote without a mess on floor.
- Durable plastic design with metal screen on top & large center hole for oil to drain into tote.
- Creates a clean affordable waste oil collection center.
- Ask parts for pricing and availability.

Red Rock Enterprises, LLC reserves the right to make changes in design and specifications without notice and without incurring any obligation related to such changes.

©2017 Red Rock Enterprises, LLC. All rights reserved. Printed in the U.S.A. Tote-Top and Mega Funnel are trademarks of Red Rock Enterprises, LLC.



\$10 CA\$H BACK Program runs 9/6/22 - 10/31/22

PRO SHOW **Special**

Evolution Fully Coated Rotors

Genuine GEOMET® coating for maximum protection against rust & corrosion 100% Mill Balanced

Each Evolution Coated rotor is checked and balanced for safe, smooth braking performance.



Z17 Ceramic Brake Pads Low-dust formula **Dual-Layer Rubberized Shims** Better noise insulator for virtually silent braking Premium Stainless-Steel Hardware





Z36 Carbon-Fiber Ceramic Brake Pads Premium Stainless-Steel Shims Better heat dissipation & virtually noise-free braking Premium Stainless-Steel Hardware Hi-Temp Brake Lubricant




Severe-Duty stopping power designed for trucks & 4x4s



Next Gen & Next Gen Euro Carbon-Fiber Ceramic Brake Pads Superior stopping power with Carbon-Fiber Ceramic compound, in addition to low-dust and virtually noise-free braking Dual-Grip[™] Shim Technology OE-proven shim helps reduce Disc Thickness Variation (DTV) to minimize pedal pulsation for a smooth ride Level "N" Copper-Free Formula Committed to cleaner environment and compliance with the Better Brake Legislation requirement PowerStop Exceptional Quality Standards Chamfered & Slotted pads to ensure quiet ride and Thermal Scorched pad surface for faster break-in Includes Premium Stainless-Steel Hardware For an easy, problem-free installation





Engineered to meet the strict ECE-R90 standards required throughout the European Union ensuring OEM performance and safety. ECE-R90 brake pads produce an equivalent amount of brake dust to the OE product. PowerStop also offers lower-dust pad and kit products.

Premium Stainless-Steel Hardware Kit

Premium stainless-steel hardware included where applicable for a complete brake job (includes integral sensor).

Made in Europe

Receive \$10 when you purchase any set of pads with rotors. Program runs from September 6th through October 30th. Cash back will be paid out at end of program. Ask salesperson or store for tracking form.







1/4 - 20		6mm x 1.0	
1/4-20x1/2	x 25	6mm x 16mm	x 25
1/4-20x1	x 25	6mm x 20mm	x 25
1/4-20x1-1/2	x 25	6mm x 30mm	x 25
1/4-20x2	x 25	6mm x 40mm	x 25
1/4-20x2-1/2	x 25	6mm x 50mm	x 25
1/4-20x3	x 25	6mm x 60mm	x 25
1/4-20x4	x 25	6mm x 70mm	x 25
Nut	x 25	Nut	x 25
SAE Flat Washer	x 25	Flat Washer	x 25
SplitWasher	x 25	Split Washer	x 25
5/16 - 18		8mm x 1.25	
5/16-18x1/2	x 25	8mm x 20mm	x 25
5/16-18x1	x 25	8mm x 30mm	x 25
5/16-18x1-1/2	x 25	8mm x 40mm	x 25
5/16-18x2	x 25	8mm x 50mm	x 25
5/16-18x2-1/2	x 25	8mm x 60mm	x 25
5/16-18x3	x 25	8mm x 70mm	x 25
5/16-18x4	x 25	8mm x 80mm	x 25
Nut	x 25	Nut	x 25
SAE Flat Washer	x 25	Flat Washer	x 25
SplitWasher	x 25	Split Washer	x 25
3/8 - 16		10mm x 1.5	
-, - =•		1011111 X 1.5	
3/8-16x1	x 25	10mm x 25mm	x 25
	x 25		
3/8-16x1	-	10mm x 25mm	x 25
3/8-16x1 3/8-16x1-1/2	x 25	10mm x 25mm 10mm x 30mm	x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2	x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm	x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2	x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm	x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3	x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4	x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4 3/8-16x5	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4 3/8-16x5 Nut	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm Nut Flat Washer Split Washer	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer SplitWasher 1/2 - 13	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer SplitWasher	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm Nut Flat Washer Split Washer	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer SplitWasher 1/2 - 13	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75 12mm x 30mm 12mm x 40mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2 3/8-16x3 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer SplitWasher 1/2 - 13 1/2-13x1	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75 12mm x 30mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2-1/2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer SplitWasher 1/2-13 1/2-13x1 1/2-13x1-1/2	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75 12mm x 30mm 12mm x 40mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer 1/2 - 13 1/2-13x1 1/2-13x1-1/2 1/2-13x2	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75 12mm x 30mm 12mm x 40mm 12mm x 50mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2 3/8-16x3 3/8-16x4 3/8-16x4 3/8-16x5 Nut SAE Flat Washer 1/2 - 13 1/2-13x1 1/2-13x1 1/2-13x2 1/2-13x2 1/2-13x2-1/2	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75 12mm x 30mm 12mm x 40mm 12mm x 50mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2 3/8-16x3 3/8-16x4 3/8-16x4 3/8-16x5 Nut SAE Flat Washer 5plitWasher 1/2 - 13 1/2-13x1 1/2-13x1 1/2-13x2 1/2-13x2-1/2 1/2-13x3-1/2	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm Nut Flat Washer Split Washer 12mm x 1.75 12mm x 1.75 12mm x 40mm 12mm x 50mm 12mm x 60mm 12mm x 70mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer 5plitWasher 1/2-13x1 1/2-13x1-1/2 1/2-13x2 1/2-13x2-1/2 1/2-13x3-1/2 1/2-13x4	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm 10mm x 80mm 11mm x 80mm 12mm x 40mm 12mm x 50mm 12mm x 60mm 12mm x 70mm 12mm x 80mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25
3/8-16x1 3/8-16x1-1/2 3/8-16x2 3/8-16x2 3/8-16x3 3/8-16x4 3/8-16x5 Nut SAE Flat Washer 1/2 - 13 1/2-13x1 1/2-13x1 1/2-13x2 1/2-13x2 1/2-13x3-1/2 1/2-13x4 1/2-13x5	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25	10mm x 25mm 10mm x 30mm 10mm x 40mm 10mm x 50mm 10mm x 60mm 10mm x 70mm 10mm x 80mm 10mm x 80mm 10mm x 80mm 12mm x 10mm 12mm x 60mm 12mm x 70mm 12mm x 80mm 12mm x 100mm	x 25 x 25 x 25 x 25 x 25 x 25 x 25 x 25



1,000 PIECE ASSORTMENT WITH CABINET

UNC G5 \$399 UNC G8 \$599 Metric G8.8 \$399 Metric G10.9 \$599

Don't need a cabinet.... 50% off for a new stocking account opening order!!!







* Double rebate:

1/2 of rebate will be issued by Good Guys off of invoice at time of billing. 1/2 will be a consumer only rebate and valid on select new Rotary Wheel Service equipment purchased from 08/22/2022 – 10/31/2022. Approved rebates will be paid via an issued card such as Visa, Mastercard or other electronic payment cards. To redeem your rebate, visit and enter promo code "RWS32022" and provide product and personal information as required. For complete program rules and guidelines, please visit: _https://rotarylift.com/tc











- Heavy-duty cast aluminum base with integrated . wear plate & bench mounting holes.
- Quick-release vice with robust square-threaded . rod for fast & secure clamping.
- Accurate & durable cast steel vice with 0° 45° . miter capacity & locking pin.
- Compact design with a head lock down pin & • carry handle for easy transportation.
- . Chip collection tray for a cleaner, safer working environment.
- Ergonomic, ambidextrous trigger with comfort-. able textured grip.
- Attachable 'v' shape block included for secure clamping of round & square tube.
- Easy blade change with integrated tool storage.



TION

LONG-LIFE TCT BLADE



CHIP COLLECTION TRAY

POWERFUL 15 AMP HI-TORQUE, OPTIMIZED GEARBOX & BLADE SYSTEM

SAFER & MORE ECONOMICAL THAN ABRASIVE CUTTING

ACCURATE CUTTING WITH READY TO WELD, CLEAN & SQUARE COLD-CUTS





